

代数群の表現論 研究集会

標記の研究集会を開きますのでご案内申し上げます。

プログラム責任者: 兼田 正治 (阪市大・理)
谷崎 俊之 (阪市大・理)

記

日時: 2002年6月26日—6月28日
場所: 大阪市立大学学術情報 CENTER 1階文化交流室
〒558-8585 大阪市住吉区杉本
Tel: (06) 6605-3211

プログラム

6月26日(水)

- | | |
|---------------|---|
| 13:30 – 14:30 | Daniel Nakano (Univ. Georgia)
Introduction to algebraic groups and their representation theory |
| 14:45 – 15:45 | Du Jie (Univ. New South Wales)
Ringel-Hall algebras and quantum groups I |
| 16:00 – 17:00 | 市野 篤史 (阪市大・理)
Local theta correspondences and Plancherel measures |

6月27日(木)

- | | |
|---------------|--|
| 10:00 – 11:00 | Daniel Nakano (Univ. Georgia)
Cohomology and varieties of nilpotent matrices |
| 11:15 – 12:15 | Du Jie (Univ. New South Wales)
Ringel-Hall algebras and quantum groups II |
| 13:30 – 14:30 | 有木 進 (数理研)
Tameness of Hecke algebras of type B |
| 14:45 – 15:45 | 山根 宏之 (阪大・情報)
On the defining relations of toroidal $D(2,1;-1)$ and its application |

16:00 – 17:00 齋藤 義久 (東大・数理)
On Elliptic Artin Groups and Elliptic Hecke algebras

6月28日(金)

10:00 – 11:00	Du Jie (Univ. New South Wales) Ringel-Hall algebras and quantum groups III
11:15 – 12:15	Daniel Nakano (Univ. Georgia) Support varieties and the Jantzen conjecture
13:30 – 14:30	川中 宣明 (阪大・情報) A series of 2-person games generalizing Sato-Welter game
14:45 – 15:45	庄司 俊明 (東京理科大・理工) Macdonald functions associated to complex reflection groups
16:00 – 17:00	紙田 敦史 (阪市大・理) The b -functions for prehomogeneous vector spaces of commutative parabolic type and generalized universal Verma modules

Abstract of Du's lectures: A quiver is a finite directed graph. A representation of a quiver is a collection of finite dimensional vector spaces indexed by the vertices of the graph together with a collection of linear transformations indexed by the arrows of the graph. I will start with the discussion on the representation theory of quivers. This includes Gabriel's Theorem and the geometry of representation varieties. Then, I move on introducing the Ringel-Hall algebra associated to a quiver. Some fundamental relations will be proved in order to get the isomorphism between Ringel-Hall algebras and the positive part of the corresponding quantum group. Finally, using this isomorphism, I will establish a monomial basis theory in the finite type case and use it to construct the canonical bases for quantum groups.

交通機関：<http://www.osaka-cu.ac.jp/map.html> 参照

宿泊： 最寄りの長居 Park Hotel に割安で泊れます。希望者は、早めに兼田まで連絡して下さい。

旅費： 旅費を希望する方（特に大学院生、研究生）には科研費から補助ができる可能性があります。早めに谷崎まで連絡して下さい。

連絡先 : 〒558 - 8585 大阪市住吉区杉本
大阪市立大学大学院理学研究科数学
兼田 正治
Tel: (06) 6605 - 2510 (研究室直通)
Fax: (06) 6605 - 2510
e-mail: kaneda@sci.osaka-cu.ac.jp
谷崎 俊之
Tel: (06) 6605 - 2615 (研究室直通)
Fax: (06) 6605 - 2515
e-mail: tanisaki@sci.osaka-cu.ac.jp