

Abstract for our study

1. Our study on line configurations in complex planes

Let $l = l_1 \cup \cdots \cup l_\mu$ be a collection of lines in \mathbf{R}^2 . Each line is of the form $l_i = \{(x, y) \in \mathbf{R}^2 | a_i x + b_i y + c_i = 0\}$. Let $L_i = \{(x, y) \in \mathbf{C}^2 | a_i x + b_i y + c_i = 0\}$ and we have a real line configuration $L = L_1 \cup \cdots \cup L_\mu$ in \mathbf{C}^2 . The complex projective plane \mathbf{CP}^2 is the quotient space of $\mathbf{C}^3 - \{\mathbf{0}\}$ by identifying (x, y, z) and $\lambda(x, y, z)$. Let $\mathcal{L}_i = \{[x, y, z] \in \mathbf{CP}^2 | a_i x + b_i y + c_i z = 0\}$ and we have a real line configuration $\mathcal{L} = \mathcal{L}_1 \cup \cdots \cup \mathcal{L}_\mu$ in \mathbf{CP}^2 .

First we describe our study on a real line configuration \mathcal{L} in \mathbf{CP}^2 . We proved the following results concerning the first Betti numbers of abelian coverings of \mathbf{CP}^2 branched over real line configurations:

- (1) An estimate of the first Betti numbers .
- (2) A characterization of a central and general position line configurations in the terms of the first Betti numbers of abelian coverings.
- (3) The first Betti numbers of the abelian coverings of the real line configurations up to 7 components.

Next we describe our study on a real line configuration in \mathbf{C}^2 . For a real line configuration L , we construct a ribbon surface-link which has the same group as L . If L is a central or general position line configuration, the genus of the constructed ribbon surface-link is the smallest of all the genera of the ribbon surface-links with the same group as L .

2. Our study on links in the three dimensional sphere

First we describe our study on 2 component links. We give a formula to express the first homology groups of the $\mathbf{Z}_2 \oplus \mathbf{Z}_2$ branched coverings of $L = K_1 \cup K_2$ in terms of those of three smaller cyclic branched coverings.

Next we describe our study on a table of manifolds. A. Kawachi defined a well-order on the set of links, which induces a well-order on the set of link exteriors, and which eventually induces a well-order on the set of 3-manifolds. In fact, he enumerated the first 28 prime links, the first 26 prime link exteriors and the first 26 closed connected orientable 3-manifolds. We extended the prime link table from 28 to 443, the prime link exterior table from 26 to 399 and the manifold table from 26 to 133. Now we are extending the manifold table and we have already completed the enumeration of homology handles and homology spheres.