## Publication List

Takeshi Oota

- Hiroshi Itoyama and Takeshi Oota, "Neutral Excitations and Others in the Sine-Gordon Theory," Progress of Theoretical Physics Supplement No.114 (1993) 41-51.
- [2] H. Itoyama and T. Oota, "Sine-Gordon theory with higher-spin N=2 supersymmetry and the massless limit," Nuclear Physics B 419 (1994) 632-646.
- [3] Takeshi Oota, "Functional equations of form factors for diagonal scattering theories," Nuclear Physics B 466 (1996) 361-382.
- [4] N. Fumita, H. Itoyama and T. Oota, "Motions of the string solutions in the XXZ spin chain under a varying twist," International Journal of Modern Physics A: Mathematical and General 12 (1997) 801-838.
- [5] Vladimir E. Korepin and Takeshi Oota, "Scattering of plane waves in self-dual Yang-Mills theory," Journal of Physics A: Mathematical and General 29 (1996) L625-L628.
- [6] Vladimir E. Korepin and Takeshi Oota, "Relation between Classical Self-Dual Yang-Mils Equation and Quantum Inverse Scattering Method," in Eds. E. Date, T. Miwa and M. Okado, *INFINITE ANALYSIS, Integrable Systems and Representation Theory*, IIAS Reports No.1997-001 (1997) 59-69.
- [7] Takeshi Oota, "q-deformed Coxeter element in non-simply laced affine Toda field theories," Nuclear Physics B 504 (1997) 738-752.
- [8] Vladimir E. Korepin and Takeshi Oota, "The Determinant Representation for a Correlation Function in Scaling Lee-Yang Model," Journal of Physics A: Mathematical and General **31** (1998) L371-L380.
- [9] Takeshi Oota, "Two-point correlation functions in perturbed minimal models," Journal of Physics A: Mathematical and General **31** (1998) 7611-7626.
- [10] Masafumi Fukuma, Takeshi Oota and Hirokazu Tanaka, "Comments on T-dualities of Ramond-Ramond Potentials," Progress of Theoretical Physics 103 (2000) 425-446.
- [11] Masafumi Fukuma, Takeshi Oota and Hirokazu Tanaka, "Weyl Groups in AdS<sub>3</sub>/CFT<sub>2</sub>," Progress of Theoretical Physics **103** (2000) 447-462.

- [12] H. Itoyama and T. Oota, "Normalization of off-shell boundary state, g-function and zeta function regularization," Journal of Physics A: Mathematical and General 35 (2002) 9395-9414.
- [13] Takeshi Oota, "Quantum projectors and local operators in lattice integrable models," Journal of Physics A: Mathematical and General 37 (2004) 441-452.
- [14] Takeshi Oota, "Comments on Equations of Motion for Pure Spinors in Even Dimensions," preprint hep-th/0411036.
- [15] Takeshi Oota and Yukinori Yasui, "Toric Sasaki-Einstein manifolds and Heun equations," Nuclear Physics B 742 (2006) 275-294.
- [16] Takeshi Oota and Yukinori Yasui, "Explicit toric metric on resolved Calabi-Yau cone," Physics Letters B 639 (2006) 54-56.
- [17] Takeshi Oota and Yukinori Yasui, "New Example of Infinite Family of Quiver Gauge Theories," Nuclear Physics B 762 (2007) 377-391.
- [18] H. Itoyama and T. Oota, "The  $AdS_5 \times S^5$  superstrings in the generalized light-cone gauge," Progress of Theoretical Physics **117** (2007) 957-972.
- [19] Naoki Hamamoto, Tsuyoshi Houri, Takeshi Oota and Yukinori Yasui, "Kerr-NUTde Sitter Curvature in All Dimensions," Journal of Physics A: Mathematical and Theoretical 40 (2007) F177-F184.
- [20] Tsuyoshi Houri, Takeshi Oota and Yukinori Yasui, "Closed conformal Killing-Yano tensor and geodesic integrability," Journal of Physics A: Mathematical and Theoretical 41 (2008) 025204.
- [21] Tsuyoshi Houri, Takeshi Oota and Yukinori Yasui, "Closed conformal Killing-Yano tensor and Kerr-NUT-de Sitter spacetime uniqueness," Physics Letters B 656 (2007) 214-216.
- [22] Takeshi Oota and Yukinori Yasui, "Separability of Dirac equation in higher dimensional Kerr-NUT-de Sitter spacetime," Physics Letters B 659 (2008) 688-693.
- [23] Hiroshi Itoyama, Takeshi Oota and Reiji Yoshioka, "Nambu-Goto Like Action for the  $AdS_5 \times S^5$  Superstrings in the Generalized Light-Cone Gauge," Progress of Theoretical Physics **119** (2008) 323-338.
- [24] Tsuyoshi Houri, Takeshi Oota and Yukinori Yasui, "Generalized Kerr-NUT-de Sitter metrics in all dimensions," Physics Letters B 666 (2008) 391-394.

- [25] Tsuyoshi Houri, Takeshi Oota and Yukinori Yasui, "Closed conformal Killing-Yano tensor and uniqueness of generalized Kerr-NUT-de Sitter spacetime," Classical and Quantum Gravity 26 (2009) 045015 (18pp).
- [26] Takeshi Oota and Yukinori Yasui, "Separability of gravitational perturbation in generalized Kerr-NUT-de Sitter spacetime," International Journal of Modern Physics A 15 (2010) 3055-3094.
- [27] Hiroshi Itoyama, Kazunobu Maruyoshi and Takeshi Oota, "The Quiver Matrix Model and 2d-4d Conformal Connection," Progress of Theoretical Physics 123 (2010) 957-987.
- [28] Hiroshi Itoyama and Takeshi Oota, "Method of Generating q-Expansion Coefficients for Conformal Block and  $\mathcal{N} = 2$  Nekrasov Function by  $\beta$ -Deformed Matrix Model" Nuclear Physics B 838 [PM] (2010) 298-330.
- [29] Hiroshi Itoyama, Takeshi Oota and Nobuhiro Yonezawa, "Massive Scaling Limit of  $\beta$ -Deformed Matrix Model of Selberg Type," Physical Review D 82 085031 (2010).
- [30] Hiroshi Itoyama and Takeshi Oota, " $A_n^{(1)}$  Affine Quiver Matrix Model," Nuclear Physics B 852 (2011) 336-351.
- [31] Takeshi Oota, "β-deformed matrix models and Nekrasov partition function," Internal Journal of Modern Physics: Conference Series 21 (2013) 92-100.
- [32] Hiroshi Itoyama, Takeshi Oota and Reiji Yoshioka, "2d-4d connection between q-Virasoro/W block at root of unity limit and instanton partition function on ALE space," Nuclear Physics B 877 (2013) 506-537.
- [33] H. Itoyama, T. Oota and R. Yoshioka, "q-Virasoro algebra at root of unity limit and 2d-4d connection," Journal of Physics: Conference Series 474 (2013) 012022 [13 pages].
- [34] H. Itoyama, T. Oota and R. Yoshioka, "q-Virasoro/W algebra at root of unity and parafermions," Nuclear Physics B 889 (2014) 25-35.
- [35] H. Itoyama, T. Oota and R. Yoshioka, "q-Vertex Operator from 5D Nekrasov Function," arXiv:1602.01209 [hep-th], preprint.